

Guangzhou Monsa Chemical Co., Ltd Material Safety Data Sheet

Version 1 Revision Date: 07.07.2023 Print Date: 17.07.2023

1 、Chemical Product and Company Identification

Trade Name MONSA® AOS-35

INCI Name Sodium Alpha-olefin Sulfonate

Company Identification Guangzhou Monsa Chemical Co., Ltd

Address Room 1119, 11th Floor, 2# Building, International Creative

Community, Beitai Rd, Baiyun District, Guangzhou

Postal Code 510000

Tel 86-020-31520674

Fax 86-020-31520784

2 Hazards Identification

Invasive Way Inhalation, ingestion, percutaneous absorption

Health Irritation to skin, eyes and moderate, intake to stimulate the Hazards digestive tract, inhaled particulate, mist products to

digestive tract, inhaled particulate, mist products to stimulate the respiratory tract. Permanent damage to the eyes

may.

Environmental

Hazards

The product and its subsequent improvement without harm to the environment. Advice when used in accordance with the

relevant provisions, and to avoid pollution of the

environment.

Other Hazards Unknown

3 Composition, Information on Ingredients

Chemical Structure ① R—CH=CH— (CH2)n—SO3Na (n=0,1,2)

· R— CH2— CH(OH)— (CH2)n— SO3Na

(n=2,3)

· R—CH2—CH(OSO3Na)—CH2—SO3Na

Active Ingredient $(35.0 \pm 1.0)\%$

CAS No. 68439-57-6

4 , First Aid Measures

Eye Contact Flush eyes with water immediately while holding the eyelids open.

Remove contact lenses, if worn, after initial flushing, and continue flushing for at least for 15 minutes. Get medical attention if irritation

persist.



Skin Contact In case of contact, immediately wash with plenty of soap and

water for at least 5 minutes. Seek medical attention. Remove contaminated clothing and shoes. Clean contaminated

clothing and shoes before reuse.

In case of inhalation, move the exposed person to fresh air. If not

breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties

continued.

Ingestion If victim is conscious and alert, give 1-2 glasses of water to

drink. Do not give anything by mouth to an unconscious person. Seek medical attention. Do not leave victim

unattended.

Note to Physician All treatments should be based on observed signs and

symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat

symptomatically. No specific antidote available.

5 , Fire Fighting Measures

Unusual Fire and Hazards

Explosion

Product will burn under fire conditions. Closed containers may explode(due to the build-up of pressure) when exposed to extreme

heat.

Hazardous Decomposition Oxides of Sulphur and oxides of Carbon.

Materials(Under Fire

Condition)

Suitable Extinguishing

Media

Exposure Hazards During None

Fire

Special Protective

Equipment

Oxides of Sulphur and Oxides of Caroon.

Use dry chemical, sandy soil, chemical foam or carbon dioxide.

Protective clothing and self-contained breathing equipment should

be available for firefighters.

6 Accidental Release Measures

Cleanup and Disposal of

Spill

Absorb with inert material (eg. dry sand,

vermiculite). Sweep up and place in an appropriate closed container. Clean up residual material by washing

area with water. Collect washings for disposal.

Environmental and

Regulatory Reporting

Do not flush to drain. Spills may be reportable

to the National Response Centre and to state and/or local

agencies.



7, Handling and Storage

Handling Avoid breathing vapours and mists. Avoids direct or

prolonged contact with skin and eyes. If freezing occurs, thaw and remix before using. Frozen material may be thawed in a warm room. Avoid localized overheating. Vent drums while heating. Mix thoroughly to assure homogeneity. Ethylene oxide may collect in container head space. Although concentrations are expected to remain below established exposure limits, provide adequate ventilation when accessing or working with open containers and tanks.

Storage Store in a cool, well-ventilated area. Keep away from heat and

flame. Store in a tightly closed container.

Incompatibilities: oxidants and food.

Storage temperature: 25~45C .

Storage duration: 12 Months.

8, Exposure Controls, Personal Protection

Exposure Controls No exposure limits were found for this product or any of its

ingredients.

Ventilation Local exhaust is required.

Respiratory When respirators are required, select NIOSH/MSHA Protection approved equipment based on actual or potential airborne

concentrations and in accordance with the appropriate

regulatory standards and/or industrial recommendations.

For reasonably foreseeable industrial end uses of this material, respiratory protection should not be necessary.

Protection Clothing No protective clothing is normally required.

Eye/Face Protection Eye and face protection requirements will vary dependent upon

work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material. Eye contact should be prevented through the use of chemical safety glasses with side shields or splash proof goggles. Emergency eyewash must be readily accessible to the work area.

Skin contact should be minimized through the use of gloves and

Emergency cycwash must be readily accessione to the work area.

suitable long-sleeved clothing(i.e. shirts and pants).

Consideration must be given both to durability as well as

permeation resistance.

Skin Protection



Work Controls Practice

Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

- 1. Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2. Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3. Wash exposed skin promptly to remove accidental splashes of contact with the material.

9 N Physical and Chemical Properties

Appearance(20C) Pale straw-coloured, transparent

Odor liquid Faint fatty odor.

PH 10.0-12.0

Boiling Point > 100C

Flash Point =93.9C

Flammability Class Will burn.

Vapour Pressure Data not available

Solubility Hardly soluble in water, practically soluble in

acetone, practically soluble in ethanol.

10 Stability and Reactivity

Stability In the closed-up flash point test, fp>80C, so the substance does

not belong to flammable liquid.

Reactivity The substance does not react vigorously with reducing

agent, so it does not belong to oxidizing substances.

Conditions to Avoid Excessive heat, open flame and spark.

Materials to Avoid Strong acids and strong oxidizing agents.

Hazardous Will not occur.

Decomposition

Products

Hazardous Polymerism Will not occur.

11 , Toxicological Information

The substance does not belong to toxic substances.

Acute Oral Toxicity Moderately toxicLD50 >6000mg/kg, Rat

Skin Irritation May cause moderate irritation to skin.



Eye Irritation May cause moderate irritation to skin.

Sensitization Not a skin sensitizer.

12 • Ecological Information

No information available.

13 , Disposal Considerations

Disposal Method Chemical additions, processing or otherwise altering this

material may make the waste management information presented in the MSDS incomplete, inaccurate or otherwise Please be advised inappropriate. that state requirements for waste disposal may be more restrictive or different from federal laws and regulations. Consult state and local regulations regarding the proper

disposal of this material.

Spill or Leak In case of small amount, washes with water; In case of large

amount, fences by non-flammable material and recovers.

Container Handling Any containers or equipment used should be and Disposal decontaminated immediately after use.

14 Transport Information

Not dangerous for conveyance under UN, IMO, ADR/RID and IATA/ICAO code.

15, Regulatory Information

No information available.

16 , Other Information

National Fire Protection Association Hazard Ratings---NFPA(R):

- 2 Health Hazard Rating --- Moderate.
- 1 Flammability Rating --- Slight.
- 0 Instability Rating --- Minimal.

National Paint & Coating Hazardous Materials Identification System---HMIS(R):

- 2 Health Hazard Rating --- Moderate.
- 1 Flammability Rating --- Slight.
- 0 Reactivity Rating --- Minimal.

The above information is given in good faith, but no guarantee. It is intended to describe our products from point of view of safety requirements.