

Guangzhou Monsa Chemical Co., Ltd Material Safety Data Sheet

Version 1 Revision Date: 07.07.2023 Print Date: 17.07.2023

1. Chemical Product and Company Identification

Trade name MONSA® SLES-28(3EO)

Company Identification Guangzhou Monsa Chemical Co., Ltd

Address Room 1119, 11th Floor, 2# Building, International Creative Community,

Beitai Rd, Baiyun District, Guangzhou

Postal Code 510000

Tel 86-020-31520674

Fax 86-020-31520784

2. Hazards Identification

Invasive Way Inhalation, ingestion, percutaneous absorption

Health Hazards

Irritation to skin, eyes and moderate, intake to stimulate the

digestive tract, inhaled particulate, mist products to stimulate

the respiratory tract. Permanent damage to the eyes may.

Environmental Hazards The product and its subsequent improvement without harm to the

environment. Advice when used in accordance with the relevant

provisions, and to avoid pollution of the environment.

Other Hazards Unknown

3. Composition, Information on Ingredients

Chemical Structure RO(CH2CH2O)3SO3Na, R=C12-15

INCI Name Sodium Laureth Sulfate

Ingredients	CAS NO.	Content
Sodium Laureth Sulfate	9004-82-4	28%
Water	7732-18-5	72%



4, First Aid Measures

Eye Contact Hold eyelids open and flush with a steady, gentle stream of

water for at least 15 minutes. Seek medical attention.

Skin Contact In case of contact, immediately wash with plenty of soap and

water for at least 5 minutes. Seek medical attention. Remove contaminated clothing and shoes. Clean contaminated clothing and shoes before reuse. Skin contact may

aggravate existing skin disease.

Inhalation Inhalation is not an expected route of exposure. If

respiratory irritation or distress occurs, remove victim to fresh air. Seek medical attention if respiratory irritation or

distress continues.

Ingestion If victim is conscious and alert, give 1-2 glasses of water to

drink. Do not give anything by mouth to an unconscious person. Seek medical attention. Do not leave

victim unattended.

Note to Physician All treatments should be based on observed signs and

symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat

symptomatically. No specific antidote available.

5. Fire Fighting Measures

Unusual Fire and Explosion Hazards Product will burn under fire conditions. Closed

containers may explode(due to the build-up of

pressure) when exposed to extreme heat.

Hazardous Decomposition

Materials(Under Fire Condition)

Oxides of Sulphur and oxides of Carbon.

Suitable Extinguishing Media Small fires: dry chemical, carbon dioxide.

Large fires: water jet(frothing possible).

Exposure Hazards During Fire None

Special Protective Equipment Protective clothing and self-contained breathing

equipment should be available for firefighters.

6. Accidental Release Measures

Cleanup and Disposal of Spill Absorb with inert material (eg. dry sand,

vermiculite). Sweep up and place in an

appropriate closed container. Clean up residual



material by washing area with water. Collect

washings for disposal.

Environmental and Regulatory Reporting

Do not flush to drain. Spills may be reportable to the National Response Centre and to state and/or

local agencies.

7. Handling and Storage

Handling Avoid breathing vapours and mists. Avoids direct or

prolonged contact with skin and eyes. If freezing occurs, thaw and remix before using. Frozen material may be thawed in a warm room. Avoid localized overheating. Vent drums while heating. Mix thoroughly to assure homogeneity.

Storage Ship and store between 18-49°C(64-120°F). Store in a tightly

closed container. Store in an area that is dry, well-ventilated, away from ignition sources, away from incompatible materials.

Storage temperature: 30~40°C.

Storage duration: 12 Months.

8. Exposure Controls, Personal Protection

Exposure Controls No exposure limits were found for this product or any of its

ingredients.

Engineering Controls Where engineering controls are indicated by use

conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: general area

dilution/exhaust ventilation.

Respiratory Protection When respirators are required, select NIOSH/MSHA

equipment based approved on actual potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial

recommendations.

For reasonably foreseeable industrial end uses of this material, respiratory protection should not be necessary.

Eye/Face Protection Eye and face protection requirements will vary

dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material. Eye contact should be prevented

through the use of chemical safety glasses



with side shields or splash proof goggles.

Emergency eyewash must be readily accessible to the work

area.

Skin Protection Skin contact should be minimized through the use of

gloves and suitable long-sleeved clothing(i.e. shirts and pants). Consideration must be given both to durability as well

as permeation resistance.

Work Practice Controls Personal hygiene is an important work practice exposure

control measure and the following general measures should be taken when working with or handling this

material:

1. Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this

material is stored.

2. Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the

toilet.

3. Wash exposed skin promptly to remove accidental

splashes of contact with the material.

9. Physical and Chemical Properties

Appearance(20°C) Clear to hazy, colorless to pale yellow liquid.

Odor Slight odor.

PH 11.0-13.0

Boiling Point Flash >100°C@760mmHg

Point Vapour Data not available

Pressure Solubility Data not available

Hardly soluble in water, practically soluble in acetone,

practically soluble in ethanol.

10. Stability and Reactivity

Stability Stable under Norman handling and storage conditions

described in Section 7.

Conditions to Avoid Excessive heat, open flame and spark.

Materials to Avoid Strong acids, strong oxidizing agents and strong

reducing agents.

Hazardous Thermal decomposition may produce hydrogen sulphide,

Decomposition Products oxides of Sulphur and oxides of Carbon.



Hazardous Polymerism Will not occur. About

Density (20°C) 1.02g/cm³

11, Toxicological Information

The substance does not belong to toxic substances.

Acute Oral Toxicity Moderately toxic: LD50 > 2000 mg/kg, Rat Skin =

Skin Irritation Eye skin irritation, rabbit, severely irritating. Eye = eye

Irritation Chronic irritation, rabbit, severely irritating.

Toxicity This product does not contain any substances that are

considered by OSHA, NTP, IARC or AGGIH to be

"probable" or "suspected" human carcinogens.

No additional data found for product.

12, Ecological Information

Biodegradability >95%

Rapid biodegradability >60%

13. Disposal Considerations

Waste Disposal Method Chemical additions, processing or otherwise altering this

material may make the waste management information presented in the MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper

disposal of this material.

Container Handling and Any containers or equipment used should b

Disposal decontaminated immediately after use.

14 Transport Information

Transportation Status: Important statements below provide additional data on listed DOT

Classification.

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

US Department of Transportation: Shipping Name: Not regulated.

15 Regulatory Information

Inventory status: Inventory Status



United States(TSCA)	Y
Canada(DSL)	Y
Europe(EINECS/ELINCS)	Y
Australia(AICS)	Y
Japan(MITI)	Y
South Korea(KECL)	Y

Y = All ingredients are on the inventory.

E = All ingredients are on the inventory or exempt from listing.

P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list.

All other ingredients are on the inventory or exempt from listing.

Federal Regulations: Inventory Issues: All functional components of this product are

listed on the TSCA Inventory.

SARA TitleIII Hazard Classes: Fire Hazard -No

Reactive Hazard -No

Release of Pressure -No

Acute Health Hazard -Yes

Chronic Health Hazard -No

Other Federal Regulations:

This product meets the compositional requirements of:

21 CFR175.105 ADHJESIVES

21 CFR 175.300 RESINOUS AND POLUMERIC COATINGS 21

CFR175.390 ZINC-SILICON DIOXIDE MATRIX COATINGS

21 CFR 176.170 COMP'TS OF PAPER/PAPERABOARD CONT/AQUEOUS & FATTY ACIDS

21 CFR176.180 COMP'TS OF PAPER/PAPERABOARD CONT/DRY FOOD

21 CFR 176.210 DEFOAMING AGENTS USED INOFPAPER & PAPERBOARD

This product contains the following components that are regulated under California Proposition 65:

State Regulations:



National Fire Protection Association Hazard Ratings---NFPA(R):

- 2 Health Hazard Rating --- Moderate.
- 1 Flammability Rating --- Slight.
- 0 Instability Rating --- Minimal.

National Paint & Coating Hazardous Materials Identification System---HMIS(R):

- 2 Health Hazard Rating --- Moderate.
- 1 Flammability Rating --- Slight.
- 0 Reactivity Rating --- Minimal.

The above information is given in good faith, but no guarantee. It is intended to describe our products from point of view of safety requirements.